



1



2



4




5




6




7




14




15



16



17



18



20

4



28



29




30



31



32



33

Running GGIR

General settings

```
GGIR(
  # general settings
  datadir = "C:/mystudy/mydata",
  outputdir = "D:/myoutput",
  mode = c(1, 2, 3, 4, 5),
  studyname = "GGIRtraining",
  desiredtz = "Europe/London", # http://en.wikipedia.org/wiki/Zone.tab
  idloc = 2,
  overwrite = FALSE,
  do.parallel = TRUE,
  )
```

desiredtz
Character (default = "", i.e., system timezone). Timezone in which device was configured and experiments took place. If experiments took place in a different timezone, then use this argument for the timezone in which the experiments took place and argument configtz to specify where the device was configured. See also <http://en.wikipedia.org/wiki/Zone.tab>



34

Running GGIR


General settings

```
GGIR(
  # general settings
  datadir = "C:/mystudy/mydata",
  outputdir = "D:/myoutput",
  mode = c(1, 2, 3, 4, 5),
  studyname = "GGIRtraining",
  desiredtz = "Europe/London", # http://en.wikipedia.org/wiki/Zone.tab
  idloc = 2,
  overwrite = FALSE,
  do.parallel = TRUE,
  )
```

idloc = 8

```
05_IDLOC1839120023 (2019-04-09).g3x
06_CLE1839120004 (2019-06-25).g3x
08_MOS2030160079 (2019-05-31).g3x
09_MOS2030160079 (2019-04-30).g3x
011_NEO1F10120227 (2019-05-23).g3x
013_CLE1838120880 (2019-03-28).g3x
015_CLE1839120023 (2019-03-26).g3x
```

idloc
Numeric (default: idloc = 1). If **idloc = 1** the code assumes that ID number is stored in the obvious header field. Note that for ActiGraph data the ID is never stored in the file header. For value set to 2, 5, 6, and 7, GGIR looks at the filename and extracts the character string preceding the first occurrence of a "." (idloc = 2), " (space, idloc = 5), " (dot, idloc = 6), and " (idloc = 7), respectively. You may have noticed that idloc 3 and 4 are skipped, they were used for one study in 2012, and not actively maintained anymore, but because it is legacy code not omitted.



35

Running GGIR


General settings

```
GGIR(
  # general settings
  datadir = "C:/mystudy/mydata",
  outputdir = "D:/myoutput",
  mode = c(1, 2, 3, 4, 5),
  studyname = "GGIRtraining",
  desiredtz = "Europe/London", # http://en.wikipedia.org/wiki/Zone.tab
  idloc = 2,
  overwrite = FALSE,
  do.parallel = TRUE,
  )
```

output_mystudy

```
meta
├── basic
│   ├── meta_05.RData
│   └── meta_06.RData
├── results
│   ├── ms2.out
│   ├── ms3.out
│   ├── ms4.out
│   └── ms5.out
└── config.csv
```

overwrite
Boolean (default = FALSE). Do you want to overwrite analysis for which milestone data exists? If **overwrite=FALSE**, then milestone data from a previous analysis will be used if available and visual reports will not be created again.



36

Running GGIR

General settings

```
GGIR(
  # general settings
  datadir = "C:/mystudy/mydata",
  outputdir = "D:/myoutput",
  mode = c(1, 2, 3, 4, 5),
  studyname = "GGIRtraining",
  desiredtz = "Europe/London", # http://en.wikipedia.org/wiki/Zone.tab
  idloc = 2,
  overwrite = FALSE,
  do.parallel = TRUE,
  )
```

do.parallel
Boolean (default = TRUE), whether to use multi-core processing (only works if at least 4 CPU cores are available).



37

?

What are modern acceleration sensors sensitive to?
(Multiple choice)

- ☐ Gravitational acceleration
- ☐ Heart rate
- ☐ Vibrations
- ☐ Angular velocity
- ☐ Accelerations due to body movement
- ☐ Orientation relative to north pole

38

?

What are modern acceleration sensors sensitive to?
(Multiple choice)

- ☒ Gravitational acceleration
- ☐ Heart rate
- ☒ Vibrations
- ☐ Angular velocity
- ☒ Accelerations due to body movement
- ☐ Orientation relative to north pole

39



Which arguments/parameters do we **ALWAYS** need to specify? *(Multiple choice)*

- ☐ mode
- ☐ datadir
- ☐ desiredtz
- ☐ idloc
- ☐ outputdir
- ☐ studyname

40



Which arguments/parameters do we **ALWAYS** need to specify? *(Multiple choice)*

- ☐ mode
- ☒ datadir
- ☐ desiredtz
- ☐ idloc
- ☒ outputdir
- ☐ studyname


41

Data quality

www.accelting.com

42

The GGIR pipeline



43


Data quality

- Calibration of the accelerations
- Nonwear detection

44

Sensor auto-calibration in GGIR

- Acceleration sensors are calibrated to g in factory.
- Calibration may be imperfect



45



The quality check of the data performed in GGIR includes... *(Multiple choice)*

- ☐ Evaluation of the calibration of the sensor
- ☐ Non-wear time detection
- ☐ Detect whether the sensor is worn on the right location
- ☐ Detect that the sensor recorded in the expected sampling frequency

55



The quality check of the data performed in GGIR includes... *(Multiple choice)*

- ☒ Evaluation of the calibration of the sensor
- ☒ Non-wear time detection
- ☐ Detect whether the sensor is worn on the right location
- ☐ Detect that the sensor recorded in the expected sampling frequency


56

Acceleration metrics

www.acceltel.com

57

The GGIR pipeline





58

Euclidean Norm

X	Y	Z
-0.500	0.164	-0.850
-0.500	0.164	-0.845
-0.500	0.164	-0.850
-0.507	0.164	-0.845
-0.500	0.164	-0.850
-0.500	0.164	-0.845
-0.500	0.164	-0.845
-0.500	0.164	-0.842
-0.500	0.164	-0.845
-0.500	0.164	-0.845


EN
1.002
0.997
1.002
0.996
1.002
0.997
0.997
0.996
0.997
0.997

Euclidean Norm (Vector Magnitude)
 $EN = \sqrt{x^2 + y^2 + z^2}$



59

Euclidean Norm



60

Metrics in GGIR

Blog post: [Ten Misunderstandings surrounding Information Extraction from Wearable Accelerometer data](#)

- Key: Separate gravitational from movement-related acceleration
- For example orientation of the z-axis (z-angle):

$$\left(\tan^{-1} \frac{acc_{x_rolmedian}}{\sqrt{acc_{x_rolmedian}^2 + acc_{y_rolmedian}^2}} \right) \cdot 180/\pi$$

61

Default ENMO metric in GGIR

Formula:

$$\max \left\{ \sqrt{acc_x^2 + acc_y^2 + acc_z^2} - 1.0 \right\}$$

Broken down:

- Euclidean norm:
 $EN = \sqrt{x^2 + y^2 + z^2}$
- Subtract 1g: $EN - 1$
- when $(EN - 1) < 0$ replace by 0
- $g \rightarrow mg$
- Average per epoch

62

Acceleration metrics in GGIR

Magnitude-based removal of gravity

- ENMO
- ENMOa
- LFENMO

No attempt to remove gravity

- EN
- LF_x, LF_y, LF_z
- LFEN

Frequency-content based removal of gravity

- BFEN, BF_x, BF_y, BF_z
- HFEN, HF_x, HF_y, HF_z
- HFEN_s
- MAD
- (Brond counts)
- Neishabouri counts

Zero-crossing

- Zero-crossing counts
- ZC_x, ZC_y, ZC_z

63


Literature about metrics in GGIR

Research Article: [Separating Movement and Gravity Components in an Acceleration Signal and Implications for the Assessment of Human Daily Physical Activity](#)


Mean amplitude deviation calculated from raw acceleration data; a novel method for classifying the intensity of adolescents' physical activity irrespective of accelerometer brand

Generating ActiGraph Counts from Raw Acceleration Recorded by an Alternative Monitor


64



65



67



68

Why do we aggregate per epoch?

- Reduces dependency on sampling frequency, which varies between studies
- Evidence on the value of raw accelerometer data primarily based on epoch aggregates

69

The GGIR()

Acceleration metrics

```
GGIR [r]
window sizes = c(5, 900, 3600),
part5_agg2_60sec = TRUE,
do.enmo = TRUE,
do.enmoa = FALSE,
do.angle = FALSE,
do.anglez = FALSE,
do.anglez = TRUE,
# [see all "do..." metrics]
[ ]]
```

Accelting
Accelerating research and change behavior

70



Select the window sizes argument that defines a 15-second epoch for the accelerometer metrics aggregation (*Single choice*)

- ☐ c(5, 900, 15)
- ☐ c(5, 15, 3600)
- ☐ c(15, 900, 3600)
- ☐ c(900, 3600, 15)

71



Select the window sizes argument that defines a 15-second epoch for the accelerometer metrics aggregation (*Single choice*)

- ☐ c(5, 900, 15)
- ☐ c(5, 15, 3600)
- ☒ c(15, 900, 3600)
- ☐ c(900, 3600, 15)


72

Study protocol

www.accelting.com

73

The GGIR pipeline



74

Need to select/mask data

- Non-wear detection may not be perfect
 - Accelerometer may be in the mail
 - Accelerometer may be left in a bag
 - Recording is expected to run longer than wear instruction
- Some days may be expected to include non-representative data
 - Participant is invited to come to the clinic

75

Available options in GGIR to select/mask data

- Exclude X hours from start
- Exclude X hours from end
- Exclude all data before first and after last midnight
- Exclude all data before first midnight
- Include X days with the highest activity levels
- Include only first X 24 hour blocks in data
- Include only first X calendar days

Set maximum number of days or calendar days

```
GGIR(
  [,]
  # Study protocol
  maxdur = 0,
  max_calendar_days = 0,
  [,])
```

76

The GGIR()

Study protocol

Purpose: analyze all the data available (default)

```
GGIR(
  [,]
  # Study protocol
  strategy = 1,
  hrs.del.start = 0, hrs.del.end = 0,
  [,])
```



strategy
Numeric (default = 1). How to deal with knowledge about study protocol.
strategy = 1 means select data based on **hrs.del.start** and **hrs.del.end**.


77

The GGIR()

Study protocol

Purpose: Skip first and last day

```
GGIR(
  [,]
  # Study protocol
  strategy = 1,
  hrs.del.start = 0, hrs.del.end = 0,
  [,])
```



strategy
Numeric (default = 1). How to deal with knowledge about study protocol.
strategy = 1 means select data based on **hrs.del.start** and **hrs.del.end**.


78

The GGIR()

Study protocol

Purpose: Skip first and last day

```
GGIR(
  [,]
  # Study protocol
  strategy = 1,
  hrs.del.start = 18, hrs.del.end = 11,
  [,])
```



strategy
Numeric (default = 1). How to deal with knowledge about study protocol.
strategy = 1 means select data based on **hrs.del.start** and **hrs.del.end**.

79

The GGIR()

Study protocol

Purpose: Skip first and last day

```
GGIR(
  [...]
  # Study protocol
  strategy = 2,
  hrs.del.start = 18, hrs.del.end = 11,
  [...])
```

strategy
Numeric (default = 1). How to deal with knowledge about study protocol.
strategy = 2 makes that only the data between the first midnight and the last midnight is used.

Accelting

80

The GGIR()

Study protocol

Purpose: Handle study protocol when recording lasts longer than instructed wear period

```
GGIR(
  [...]
  # Study protocol
  strategy = 3,
  ndayswindow = 3,
  [...])
```

strategy
Numeric (default = 1). How to deal with knowledge about study protocol.
strategy = 3 only selects the most active X days in the file where X is specified by argument **ndayswindow**

Accelting

81

The GGIR()

Study protocol

Purpose: Handle study protocol when recording lasts longer than instructed wear period

```
GGIR(
  [...]
  # Study protocol
  strategy = 3,
  ndayswindow = 3,
  [...])
```

Assumption!
the days of data collection record higher activity than the other days

strategy
Numeric (default = 1). How to deal with knowledge about study protocol.
strategy = 3 only selects the most active X days in the file where X is specified by argument **ndayswindow**

Accelting

82

The GGIR()

Study protocol

Purpose: Skip only the first day

```
GGIR(
  [...]
  # Study protocol
  strategy = 4,
  [...])
```

strategy
Numeric (default = 1). How to deal with knowledge about study protocol.
strategy = 4 to only use the data after the first midnight.

Accelting

83

Data cleaning

- How many hours should the device be worn to consider...
 - ✓ a valid day? → includedaycrit
 - ✓ a valid waking-hours window? → includedaycrit.parts
 - ✓ a valid night? → includenightcrit

```
GGIR(
  [...]
  # Data cleaning
  includedaycrit = 16,
  includedaycrit.parts = 0.667,
  includenightcrit = 16,
  [...])
```

86

The GGIR()

Study protocol


```
GGIR(
  [...]
  # Study protocol
  dayborder = 0,
  strategy = 1,
  hrs.del.start = 0, hrs.del.end = 0,
  ndayswindow = 7,
  includedaycrit = 16,
  [...])
```

Accelting


87



88



89



90

Imputation of invalid data points

Scenario 1: Monitor was not worn on Thursday from 9:00 to 9:30 AM

	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Avg
9:00:00 - 9:00:05	3	4	3	2.2	2	0	1	2.2
9:00:05 - 9:00:10	3	5	2	2	1	0	1	2
9:00:10 - 9:00:15	2	4	2	1.8	1	0	2	1.8
9:00:15 - 9:00:20	3	4	3	2.3	2	1	1	2.3
...
9:29:55 - 9:30:00	5	2	4	2.8	2	1		2.8

91

Imputation of invalid data points

Scenario 2: Monitor was not worn any day from 9:00 to 9:30 AM

	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Avg
9:00:00 - 9:00:05	0	0	0	0	0	0	0	0
9:00:05 - 9:00:10	0	0	0	0	0	0	0	0
9:00:10 - 9:00:15	0	0	0	0	0	0	0	0
9:00:15 - 9:00:20	0	0	0	0	0	0	0	0
...
9:29:55 - 9:30:00	0	0	0	0	0	0	0	0

GGIR(L, # data quality and metrics, doimp = FALSE, L,)


Do you want to turn off the data imputation? →

92



93

The GGIR pipeline




94

Acceleration distribution

- Quantiles
- Intensity levels
- Intensity gradient

95

Acceleration distribution



96

Acceleration distribution

- Quantiles → Percentiles of acceleration over the day (e.g., percentile 0.5 refers to 12 hours [i.e., 0.5 over 24 hours])
- Intensity levels
- Intensity gradient



97

Acceleration distribution

- Quantiles → Percentiles of acceleration over the day (e.g., percentile 0.5 indicates the acceleration threshold over the participants have spent half of the day [i.e., 12 hours])
- Intensity levels
- Intensity gradient


GGIR(
 []
 # Physical activity and acceleration distribution
 qlevels = c(0.5, 0.7, 0.9, 0.95),
 [])

GGIR(
 []
 # Physical activity and acceleration distribution
 qlevels = c((24 - 2) / 24, # M120
 (24 - 0) / 24), # M60
 [])

98

Acceleration distribution

- Quantiles
- Intensity levels → Time spent in intensity levels, e.g., c(0, 50, 100, 200, 8000)
- Intensity gradient



99

Acceleration distribution


- Quantiles
- Intensity levels → Time spent in intensity levels, e.g. c10, 50, 100, 200, 8000
- Intensity gradient



100

Acceleration distribution


- Quantiles
- Intensity levels
- Intensity gradient



101

Acceleration distribution

- Quantiles
- Intensity levels
- Intensity gradient



102


Acceleration distribution

- Quantiles
- Intensity levels
- Intensity gradient

GGIR^[1]
Physical activity and acceleration distribution
qlevels = c(0.5, 0.7, 0.9, 0.95),
ilevels = c(10, 50, 100, 200, 8000),
iglevels = 1,
[1]

103


The GGIR pipeline



104

Physical activity in part 2


1. Time above threshold



105

Physical activity in part 2

1. Time above threshold




106

Windows definition

The argument **qwindow**

Numeric or character (default = c(0, 24)).

GGIR(L)
qwindow = c(0, 24),
L,D




107

Windows definition

The argument **qwindow**

Numeric or character (default = c(0, 24)).

GGIR(L)
qwindow = c(0, 8, 24),
L,D



108

Windows definition

The argument **qwindow**

Numeric or character (default = c(0, 24)).

If you want to use a day specific segmentation, then you can set qwindow to be the full path to activity diary file (csv file).

GGIR(L)
qwindow = "C:/mystudy/activitylog.csv",
L,D

ID	Date	PE_1	PE_2	Date	PE_1	PE_2
ID01	20-01-2022	09:00:00	10:00:00	21-01-2022		
ID02	22-01-2022	11:30:00	12:30:00	23-01-2022	09:00:00	10:00:00
ID03	02-02-2022			03-02-2022	10:00:00	11:00:00
ID04	15-01-2022	09:00:00	10:00:00	16-01-2022		
ID05	04-02-2022			05-02-2022	11:30:00	12:30:00

Will only get the 24h indicators

109



What argument allows to analyse the data from different segments in the day? (Single choice)

- ☐ g.segments
- ☐ acc.intervals
- ☐ qwindow
- ☐ qlevels

110



What argument allows to analyse the data from different segments in the day? (Single choice)

- ☐ g.segments
- ☐ acc.intervals
- ☒ qwindow
- ☐ qlevels

111



What argument allows to extract percentiles of acceleration? *(Single choice)*

- ☐ g.segments
- ☐ acc_intervals
- ☐ qwindow
- ☐ qlevels

112



What argument allows to extract percentiles of acceleration? *(Single choice)*

- ☐ g.segments
- ☐ acc_intervals
- ☐ qwindow
- ☒ qlevels

113

The GGIR()

Physical activity & distribution

```
GGIR(
  # Physical activity and acceleration distribution
  qlevels = c(0.5, 0.7, 0.9, 0.95),
  ilevels = c(0, 50, 100, 200, 8000),
  iglevels = 1,
  mvpthreshold = 100,
  mvpadur = c(1, 5, 10),
  boutcriter = 0.8,
  qwindow = c(0.24),
  )
```

114

GGIR output part 2

115

Assignment 1

1. Open RStudio and an empty script
2. Create a GGIR function call
3. Define datadir and outputdir
 - Tip 1: datadir should specify the path to out demo file
 - Tip 2: outputdir should be an existing folder (different to datadir)
4. Define mode to run GGIR parts 1 and 2
5. Make sure you only analyse data from the first midnight onwards
6. We are only interested in the analysis of the first 3 days.
7. Run the script via the source button
8. Advanced: Look up the output and meaning of variables
9. Optional: Try to run GGIR parts 1 and 2 on your own data

116



117

Day Evaluation

Thank you!



118

119